

**Formstack Submission For: CITY OF DOVER FIRE MARSHAL
APPLICATION FOR PUBLIC FIREWORKS/PYROTECHNICS DISPLAY
PERMIT**

Submitted at 09/01/21 4:06 PM

DATE/TIME OF APPLICATION:	Sep 01, 2021 03:46 PM
LICENSED COMPANY SUBMITTING APPLICATION:	Advanced Entertainment Technologies DBA Image Engineering
NAME OF INDIVIDUAL SUBMITTING APPLICATION (MAIN CONTACT):	Andrew Becker
LICENSED COMPANY ADDRESS:	7525 Perryman Ct. Curtis Bay, MD 21226
CITY OF DOVER BUSINESS LICENSE NUMBER:	22-00026381
ONSITE PRIMARY CONTACT:	David Carrodine
LICENSED COMPANY PHONE NUMBER:	(410) 355-2055
LICENSED COMPANY EMAIL ADDRESS:	becker@imageengineering.com
EVENT WHERE THE DISPLAY WILL TAKE PLACE:	Fire y Music Festival - Diplo Performance
ADDRESS OF THE DISPLAY:	Dover International Speedway 1131 N Dupont Hwy Dover, DE 19901
DATE AND TIME OF THE DISPLAY:	September 26, 2021 12:30 AM
BACKUP DATE AND TIME OF DISPLAY:	

DATE AND TIME THE FIREWORKS WILL BE ON SITE:

Sep 25, 2021 08:00 AM

DESCRIPTION OF VEHICLE FIREWORKS ARE TO BE TRANSPORTED/STORED IN:

Image Engineering Box Truck-Tag TBD

NUMBER OF SHOOTERS ONSITE:

1

DELAWARE SHOOTERS LICENSE OF SHOOTER:

[View File](#)

DELAWARE SHOOTERS LICENSE OF SHOOTER:

DELAWARE SHOOTERS LICENSE OF SHOOTER:

DELAWARE SHOOTERS LICENSE OF SHOOTER:

DELAWARE SHOOTERS LICENSE OF SHOOTER:

NUMBER OF ASSISTANTS ONSITE:

4


DRIVER LICENSE OF ASSISTANT:

[View File](#)

DRIVER LICENSE OF ASSISTANT:

[View File](#)

DRIVER LICENSE OF ASSISTANT:



[Direct Link to Image](#)

DRIVER LICENSE OF ASSISTANT:

[View File](#)

DRIVER LICENSE OF ASSISTANT:

INFORMATION TO BE CONFIRMED:

ARE FIREWORKS BEING DISPLAYED? = NO
ARE YOU IN COMPLIANCE WITH NFPA
1123 (CODE FOR FIREWORKS DISPLAY)? =
N/A

ARE YOU IN COMPLIANCE WITH NFPA
1124 (CODE FOR THE MANUFACTURE,
TRANSPORTATION, AND STORAGE OF
FIREWORKS AND PYROTECHNIC ARTICLES)?
= NO

ARE PYROTECHNIC DEVICES BEING USED?
= NO

ARE YOU IN COMPLIANCE WITH NFPA
1126 (STANDARD FOR THE USE OF
PYROTECHNICS BEFORE A PROXIMATE
AUDIENCE)? = N/A

ARE OPEN FLAME DEVICES BEING USED? =
YES

ARE YOU IN COMPLIANCE WITH NFPA 160
(USE OF FLAME EFFECTS BEFORE AN
AUDIENCE)? = YES

IS THE DISPLAY BEFORE A PROXIMATE
AUDIENCE? = YES

ARE YOU IN COMPLIANCE WITH NFPA160
(STANDARD FOR THE USE OF FLAME
EFFECTS BEFORE AN AUDIENCE) = YES

DO YOU HAVE A CERTIFICATION FOR THE
SET, SCENERY, AND/OR RIGGING
MATERIAL STATING THAT THEY ARE
INHERENTLY FLAME-RETARDANT OR HAVE
BEEN TREATED TO ACHIEVE FLAME-
RETARDANCY? (IF YES, THE SAME MUST
BE PROVIDED) = N/A

DOES YOUR MAP SHOW AT LEAST 200
FEET FROM THE NEAREST PERMANENT
BUILDING, PUBLIC HIGHWAY, RAILROAD,
OR OTHER MEANS OF TRAVEL? = YES

DOES YOUR MAP SHOW AT LEAST 50 FEET
FROM ANY TELEPHONE LINE, TREE, OR
OTHER OVERHEAD OBSTRUCTION? = YES

DOES YOUR MAP SHOW AT LEAST 500
FEET FROM ANY SCHOOL, THEATRE,
CHURCH, HOSPITAL OR SIMILAR
INSTITUTION? = YES

DOES YOUR MAP SHOW THE DROP ZONES AND THE SAFE ZONES? = YES

CERTIFICATE OF INSURANCE:

[View File](#)

LIST OF FIREWORK DISPLAY INVENTORY MATERIAL:

[View File](#)

DIAGRAM OF THE GROUNDS:

[View File](#)


CERTIFICATION OF SET, SCENERY AND OR RIGGING. (IF APPLICABLE):

I HEREBY CERTIFY THAT I HAVE READ AND WILL COMPLY WITH STATE OF DELAWARE FIRE PREVENTION REGULATION 704 REGARDING FIREWORKS DISPLAYS. (SEE LINK ABOVE):

YES

ADDITIONAL COMMENTS:

I HEREBY MAKE APPLICATION AS REQUIRED BY CHAPTER 69, DELAWARE CODE, FOR A FIREWORKS DISPLAY PERMIT AND CERTIFY THAT THE ANSWERS MADE HEREIN ARE TRUE AND CORRECT. APPLICATION IS HEREBY MADE FOR A PERMIT TO CONDUCT A PUBLIC FIREWORKS DISPLAY. ALL PROVISIONS OF THE FIRE PREVENTION RULES AND REGULATIONS OF THE STATE OF DELAWARE, ADOPTED CODES AND ORDINANCES SHALL BE COMPLIED WITH REGARDING THE TRANSPORTATION, STORAGE AND USE OF THE MATERIALS INVOLVED.:



[Direct Link to Image](#)