

Formstack Submission For: CITY OF DOVER FIRE MARSHAL APPLICATION FOR PUBLIC FIREWORKS/PYROTECHNICS DISPLAY PERMIT

Submitted at 09/09/21 4:54 PM

DATE/TIME OF APPLICATION:	Sep 09, 2021 03:46 PM
LICENSED COMPANY SUBMITTING APPLICATION:	Strictly FX LLC
NAME OF INDIVIDUAL SUBMITTING APPLICATION (MAIN CONTACT):	Brianne Durante
LICENSED COMPANY ADDRESS:	120 Airpark Center Dr E Nashville, TN 37217
CITY OF DOVER BUSINESS LICENSE NUMBER:	0023661
ONSITE PRIMARY CONTACT:	Justin Seedle
LICENSED COMPANY PHONE NUMBER:	(629) 702-3639
LICENSED COMPANY EMAIL ADDRESS:	bri@strictlyfx.com
EVENT WHERE THE DISPLAY WILL TAKE PLACE:	Firefly Music Festival (The Killers)
ADDRESS OF THE DISPLAY:	1131 N Dupont Hwy Dover, DE 19901
DATE AND TIME OF THE DISPLAY:	September 26, 2021 10:30 PM
BACKUP DATE AND TIME OF DISPLAY:	
DATE AND TIME THE FIREWORKS WILL BE ON SITE:	Sep 26, 2021 08:00 AM


DESCRIPTION OF VEHICLE FIREWORKS ARE TO BE TRANSPORTED/STORED IN:

Locked ATF Mag on Truck

NUMBER OF SHOOTERS ONSITE:

1

DELAWARE SHOOTERS LICENSE OF SHOOTER:



[Direct Link to Image](#)

DELAWARE SHOOTERS LICENSE OF SHOOTER:

DELAWARE SHOOTERS LICENSE OF SHOOTER:


DELAWARE SHOOTERS LICENSE OF SHOOTER:

DELAWARE SHOOTERS LICENSE OF SHOOTER:

NUMBER OF ASSISTANTS ONSITE:

2

DRIVER LICENSE OF ASSISTANT:



[Direct Link to Image](#)

DRIVER LICENSE OF ASSISTANT:

[View File](#)

DRIVER LICENSE OF ASSISTANT:

DRIVER LICENSE OF ASSISTANT:

DRIVER LICENSE OF ASSISTANT:

INFORMATION TO BE CONFIRMED:

ARE FIREWORKS BEING DISPLAYED?
= NO

ARE YOU IN COMPLIANCE WITH
NFPA 1123 (CODE FOR FIREWORKS
DISPLAY)? = N/A

ARE YOU IN COMPLIANCE WITH
NFPA 1124 (CODE FOR THE
MANUFACTURE, TRANSPORTATION,
AND STORAGE OF FIREWORKS AND
PYROTECHNIC ARTICLES)? = N/A

ARE PYROTECHNIC DEVICES BEING
USED? = YES

ARE YOU IN COMPLIANCE WITH
NFPA 1126 (STANDARD FOR THE USE
OF PYROTECHNICS BEFORE A
PROXIMATE AUDIENCE)? = YES

ARE OPEN FLAME DEVICES BEING
USED? = NO

ARE YOU IN COMPLIANCE WITH
NFPA 160 (USE OF FLAME EFFECTS
BEFORE AN AUDIENCE)? = N/A

IS THE DISPLAY BEFORE A
PROXIMATE AUDIENCE? = YES

ARE YOU IN COMPLIANCE WITH
NFPA160 (STANDARD FOR THE USE
OF FLAME EFFECTS BEFORE AN
AUDIENCE) = N/A

DO YOU HAVE A CERTIFICATION FOR
THE SET, SCENERY, AND/OR RIGGING
MATERIAL STATING THAT THEY ARE
INHERENTLY FLAME-RETARDANT OR
HAVE BEEN TREATED TO ACHIEVE
FLAME-RETARDANCY? (IF YES, THE
SAME MUST BE PROVIDED) = N/A

DOES YOUR MAP SHOW AT LEAST
200 FEET FROM THE NEAREST
PERMANENT BUILDING, PUBLIC
HIGHWAY, RAILROAD, OR OTHER
MEANS OF TRAVEL? = N/A

DOES YOUR MAP SHOW AT LEAST 50
FEET FROM ANY TELEPHONE LINE,

TREE, OR OTHER OVERHEAD OBSTRUCTION? = N/A
DOES YOUR MAP SHOW AT LEAST 500 FEET FROM ANY SCHOOL, THEATRE, CHURCH, HOSPITAL OR SIMILAR INSTITUTION? = N/A
DOES YOUR MAP SHOW THE DROP ZONES AND THE SAFE ZONES? = N/A

CERTIFICATE OF INSURANCE:

[View File](#)

LIST OF FIREWORK DISPLAY INVENTORY MATERIAL:

[View File](#)

DIAGRAM OF THE GROUNDS:

[View File](#)

CERTIFICATION OF SET, SCENERY AND OR RIGGING. (IF APPLICABLE):


I HEREBY CERTIFY THAT I HAVE READ AND WILL COMPLY WITH STATE OF DELAWARE FIRE PREVENTION REGULATION 704 REGARDING FIREWOKS DISPLAYS. (SEE LINK ABOVE):

YES

ADDITIONAL COMMENTS:

I will send Kris Lindberg updated license when I receive.

I HEREBY MAKE APPLICATION AS REQUIRED BY CHAPTER 69, DELAWARE CODE, FOR A FIREWORKS DISPLAY PERMIT AND CERTIFY THAT THE ANSWERS MADE HEREIN ARE TRUE AND CORRECT. APPLICATION IS HEREBY MADE FOR A PERMIT TO CONDUCT A PUBLIC FIREWORKS DISPLAY. ALL PROVISIONS OF THE FIRE PREVENTION RULES AND REGULATIONS OF THE STATE OF DELAWARE, ADOPTED CODES AND ORDINANCES SHALL BE COMPLIED WITH REGARDING THE TRANSPORTATION,



[Direct Link to Image](#)

**STORAGE AND USE OF THE MATERIALS
INVOLVED.:**

Copyright © 2021 Formstack, LLC. All rights reserved. This is a customer service email.

Formstack, 11671 Lantern Road, Suite 300, Fishers, IN 46038