

Formstack Submission For: CITY OF DOVER FIRE MARSHAL APPLICATION FOR PUBLIC FIREWORKS/PYROTECHNICS DISPLAY PERMIT

Submitted at 09/09/21 4:43 PM

DATE/TIME OF APPLICATION:	Sep 09, 2021 03:38 PM
LICENSED COMPANY SUBMITTING APPLICATION:	Strictly FX LLC
NAME OF INDIVIDUAL SUBMITTING APPLICATION (MAIN CONTACT):	Brianne Durante
LICENSED COMPANY ADDRESS:	120 Airpark Center Dr E Nashville, TN 37217
CITY OF DOVER BUSINESS LICENSE NUMBER:	0023661
ONSITE PRIMARY CONTACT:	John Lyons
LICENSED COMPANY PHONE NUMBER:	(629) 702-3639
LICENSED COMPANY EMAIL ADDRESS:	bri@strictlyfx.com
EVENT WHERE THE DISPLAY WILL TAKE PLACE:	Firefly Music Festival (The Killers)
ADDRESS OF THE DISPLAY:	1131 N Dupont Hwy Dover, DE 19901
DATE AND TIME OF THE DISPLAY:	September 24, 2021 10:45 PM
BACKUP DATE AND TIME OF DISPLAY:	
DATE AND TIME THE FIREWORKS WILL BE ON SITE:	Sep 23, 2021 08:00 AM


DESCRIPTION OF VEHICLE FIREWORKS ARE TO BE TRANSPORTED/STORED IN:

Locked ATF Mag on Truck

NUMBER OF SHOOTERS ONSITE:

1

DELAWARE SHOOTERS LICENSE OF SHOOTER:



[Direct Link to Image](#)

DELAWARE SHOOTERS LICENSE OF SHOOTER:

DELAWARE SHOOTERS LICENSE OF SHOOTER:


DELAWARE SHOOTERS LICENSE OF SHOOTER:

DELAWARE SHOOTERS LICENSE OF SHOOTER:

NUMBER OF ASSISTANTS ONSITE:


5

DRIVER LICENSE OF ASSISTANT:




[Direct Link to Image](#)

DRIVER LICENSE OF ASSISTANT:




[Direct Link to Image](#)

DRIVER LICENSE OF ASSISTANT:



[Direct Link to Image](#)

DRIVER LICENSE OF ASSISTANT:



[Direct Link to Image](#)

DRIVER LICENSE OF ASSISTANT:

[View File](#)

INFORMATION TO BE CONFIRMED:

ARE FIREWORKS BEING DISPLAYED?

= NO

ARE YOU IN COMPLIANCE WITH
NFPA 1123 (CODE FOR FIREWORKS
DISPLAY)? = N/A

ARE YOU IN COMPLIANCE WITH
NFPA 1124 (CODE FOR THE
MANUFACTURE, TRANSPORTATION,
AND STORAGE OF FIREWORKS AND
PYROTECHNIC ARTICLES)? = N/A

ARE PYROTECHNIC DEVICES BEING
USED? = YES

ARE YOU IN COMPLIANCE WITH
NFPA 1126 (STANDARD FOR THE USE
OF PYROTECHNICS BEFORE A
PROXIMATE AUDIENCE)? = YES

ARE OPEN FLAME DEVICES BEING
USED? = NO

ARE YOU IN COMPLIANCE WITH
NFPA 160 (USE OF FLAME EFFECTS
BEFORE AN AUDIENCE)? = N/A

IS THE DISPLAY BEFORE A
PROXIMATE AUDIENCE? = YES

ARE YOU IN COMPLIANCE WITH

NFPA160 (STANDARD FOR THE USE OF FLAME EFFECTS BEFORE AN AUDIENCE) = N/A
DO YOU HAVE A CERTIFICATION FOR THE SET, SCENERY, AND/OR RIGGING MATERIAL STATING THAT THEY ARE INHERENTLY FLAME-RETARDANT OR HAVE BEEN TREATED TO ACHIEVE FLAME-RETARDANCY? (IF YES, THE SAME MUST BE PROVIDED) = N/A
DOES YOUR MAP SHOW AT LEAST 200 FEET FROM THE NEAREST PERMANENT BUILDING, PUBLIC HIGHWAY, RAILROAD, OR OTHER MEANS OF TRAVEL? = N/A
DOES YOUR MAP SHOW AT LEAST 50 FEET FROM ANY TELEPHONE LINE, TREE, OR OTHER OVERHEAD OBSTRUCTION? = N/A
DOES YOUR MAP SHOW AT LEAST 500 FEET FROM ANY SCHOOL, THEATRE, CHURCH, HOSPITAL OR SIMILAR INSTITUTION? = N/A
DOES YOUR MAP SHOW THE DROP ZONES AND THE SAFE ZONES? = N/A

CERTIFICATE OF INSURANCE:

[View File](#)

LIST OF FIREWORK DISPLAY INVENTORY MATERIAL:

[View File](#)

DIAGRAM OF THE GROUNDS:

[View File](#)

CERTIFICATION OF SET, SCENERY AND OR RIGGING. (IF APPLICABLE):

I HEREBY CERTIFY THAT I HAVE READ AND WILL COMPLY WITH STATE OF DELAWARE FIRE PREVENTION REGULATION 704


YES

REGUARDING FIREWOKS DISPLAYS. (SEE LINK ABOVE):

ADDITIONAL COMMENTS:

The copy of Kris Lindberg's license I have is expired- I will submit once I receive the up to date one.

I HEREBY MAKE APPLICATION AS REQUIRED BY CHAPTER 69, DELAWARE CODE, FOR A FIREWORKS DISPLAY PERMIT AND CERTIFY THAT THE ANSWERS MADE HEREIN ARE TRUE AND CORRECT. APPLICATION IS HEREBY MADE FOR A PERMIT TO CONDUCT A PUBLIC FIREWORKS DISPLAY. ALL PROVISIONS OF THE FIRE PREVENTION RULES AND REGULATIONS OF THE STATE OF DELAWARE, ADOPTED CODES AND ORDINANCES SHALL BE COMPLIED WITH REGARDING THE TRANSPORTATION, STORAGE AND USE OF THE MATERIALS INVOLVED.:



[Direct Link to Image](#)